

SPATIAL PATTERN IN MODELING ELECTRICITY PRICES: EVIDENCE FROM THE PJM MARKET

Julia Popova¹

**Department of Economics²
West Virginia University**

Abstract. This paper analyses the evolution of electricity prices in deregulated market. I formulate a model that takes into account the spatial features of a network of a market. The model is applied to equilibrium electricity spot prices of the PJM market. An empirical analysis indicates that the problem of unobserved spatial correlation in the network can be modeled by the Spatial Error Model providing an additional insight about the spot electricity prices in the PJM market. The topology of the network and the structure of the market are responsible for the spatial correlation, which should not be ignored by careful research.

¹ WVU Department of Economics, PO Box 6025, Morgantown, WV, 26506-6025. E-mail: jnpopova@mail.wvu.edu

²This research was sponsored in part by US DOE/EPSCoR WV State Implementation Award. The author is with the Advanced Power and Electricity Research Center, West Virginia University.

Introduction

Worldwide liberalization of the electricity markets – the introduction of competition, opening the electricity markets to new providers, reduction of external inferences – aims to boost competition for generation entities, load serving firms and ancillary services. In deregulated electricity markets, participants can act strategically, thus reduce the transparency of the electricity prices and causing welfare loss. Relationships between prices and operating decisions have been thoroughly and systematically studied in last decade. Analyses of electricity prices in deregulated electricity markets revolve around three main questions: (1) Do electricity markets perform efficiently? (2) What model do prices follow? (3) How important is financial deregulation to market performance? While enhancing competition in electricity markets, the changes have made electricity a traded commodity that is sold and bought through various exchange markets in real time as well as with futures and options, meaning that trading and risk management have become key tools for running a successful business. Moreover, financial regulation of energy markets plays a significant role and is becoming increasingly relevant to the electricity sector as trading continue to develop. Doing business in the new electricity markets therefore requires adequate models of price dynamics that capture the main characteristics and features of electricity prices.

Electricity is not a typical commodity since it cannot be economically stored. This unique feature of electricity is the key determinant of the high volatility of market-clearing prices. Since inventories cannot be stored to smooth supply and demand shocks, generation and consumption have to be continuously balanced in real time, which creates substantial price volatility. Risk associated with real time production and consumption shocks has impeded the conversion of energy market structure from monopolistic to a competitive, efficient form. As the electricity market structure has moved from a monopolistic to an increasingly competitive one, the following changes have occurred in US electrical energy markets:

- Wholesale power markets have grown rapidly in recent years (US Department of Energy Report, 2000)
- Increasing uncertainty of market prices, and consequent development of methods to hedge risk, including the formation of formation of day ahead markets and futures markets (Bessembinder and Lemmon, 2002, Longstaff and Wang, 2002, Routledge, Seppi and Spatt (2001))

- Improved trading contracts and standards and development of financial transmission rights (PJM annual report 2002, Gibson and Schwartz (1990))

In addition, it seems plausible that volume of trades will continue to grow in the future. Hence, it is likely that with the further elaboration and decentralization of the power market, new trading standards and entirely new energy-related markets may emerge. Together, these factors motivate additional research on electricity markets, price modeling, high-frequency empirical studies, and analysis of the welfare impacts of the structural changes.

This paper addresses the issue of modeling spot prices, because spot prices are one of the key factors in strategic planning and decision support systems of a majority of market players, and are the underlying instrument of a number of electric power derivatives. The goal of the paper is to propose a model for electricity spot price dynamics that takes into account the key characteristics of electricity price formation in the PJM interconnection such as seasonality, weather-dependence, trading in the day-ahead market and spatial attributes of the distribution system.

There is a large and growing literature on electricity markets, their deregulation, efficiency, electricity prices formation and risk management. Recent important theoretical works on electricity spot and forward prices include work by Bessembinder and Lemmon (2002), Routledge, Seppi and Spatt (2001) and Longstaff and Wang (2002). Bessembinder and Lemmon develop an equilibrium model of electricity market for spot and forward prices in a production economy and provide some empirical evidence supporting their model. Routledge, Seppi and Spatt construct a model with rational expectations for electricity prices, assuming that storable commodities such as gas and coal are available to be converted into electricity. While Routledge, Seppi and Spatt (2000) present a theoretical model for general commodities, Escribano, Peaea and Villaplana (2002), and Lucia and Schwartz (2002) focus on energy contracts, Empirical evidence about the forward premium, i.e. difference between the forward and expected spot price, for storable commodities is presented by French (1986), Fama and French (1987), Hazuka (1984).

Electricity is not a typical good since its flow is not easily controlled. Given the grid, injections on the nodes and knowledge of the Kirchhoff's Current Law, one can only predict electricity flows i.e. accurately estimate the electricity flow distribution within a grid. There is one degree of freedom – injections on some nodes and loads on the other nodes. Changing production and load in different locations can manipulate both the direction and intensity of electricity flows within a given grid. Transmission and distribution lines are the only means by which electricity can be delivered to users. The topology of transmission lines plays a significant role in electricity price formation, since the

pricing mechanism of electricity depends on the ability to deliver at a specified time and place. Therefore, the topology of the grid is a major determinant of electricity prices in all deregulated markets. Although participants in a competitive electricity market act independently, individual behavior does influence the performance of the entire system, because all electricity market participants act simultaneously under the physical constraints of the system and economic constraints of the market.

The effect of simultaneous constraints can be illustrated by an ideal market under Cournot competition. In a market for a homogeneous good, with N producers and fixed demand, the profit-maximizing production of any producer depends on the production of all other participants. In the case of an electricity market, each generating unit's production depends not only on how much others generate but also on how many transmission lines are available to deliver the product and the capacity and congestion of the lines, which are also affected by the production of all other participants.

The novelty of my approach is the utilization of the spatial feature of the PJM market which is divided into twelve transmission zones. The PJM interconnection's pricing mechanism and price data availability is designed in such a way as to allow considering each zone as a hypothetical generating unit. Both forward and spot prices are reported for each hypothetical producer hourly. This facilitates a high-frequency empirical analysis taking into account spatial characteristics of the interconnection. Consequently, I assume that the electricity spot price can be represented as a function of its lagged values, the forward price, weather conditions, and demand, which is equal to load. I assume that there is a unique price generating process, but the disturbances are spatially correlated due to the grid topology and the omitted variables problem. My main finding is that the spatial aspect plays an essential role in electricity prices formation and that ignoring the spatial characteristics and the grid topology may cause biased results and vague conclusions.

OVERVIEW OF ELECTRICITY CHARACTERISTICS

Non-storability

The non-storability of electricity makes this commodity special and prevents researchers from using standard methods to analyze electricity market and its performance. Although it is possible to consider electricity to be a storable commodity if the supply stack consists mostly of hydropower generation as in Norway, in the case of thermal generation electricity cannot be considered as a storable commodity. Therefore, reaction to a sudden change in demand will necessarily occur with a time gap that can be significant. In particular, the non-storability of electricity subverts the cost-of-

carry argument and intertemporal arbitrage-based methods, which are used in the classical financial approach to risk assessment and valuation. Since electricity cannot be economically stored, it is necessary to develop specific tools to analyze power markets.

Supply and Demand

Uncertainty about quantity demanded and supply shortages influences price formation in electricity markets. To better understand this, it is essential to disentangle overcapacity and shortage in supply as well as demand weather-dependence and non-receptivity to price changes.


In an economically efficient and unconstrained electricity market, generation units are dispatched according to marginal cost; i.e., it is rational to dispatch first the generating unit with the lowest marginal cost, followed by units with higher marginal cost in merit order. Every generating unit has its minimum production as well as its maximum production, which are determined by both physical and economic considerations. So, the supply curve is relatively smooth and production is elastic in the range between minimum and maximum generation, but after the unit's capacity ceiling is reached its supply curve becomes vertical. These facts complicate the economic dispatch problem and bring uncertainty to it since demand is not known a priori.

Demand for electricity is affected by different factors such as industrial, commercial and domestic use, which contribute to variation within the day, week and season. Cyclical deviations may be predicted with a high degree of certainty. Nonetheless, some important sources of disturbance such as weather conditions, wind speed, temperature, and humidity make electricity demand highly inelastic. Supply shortages follow unpredicted demand jumps and unexpected generating plant and transmission lines maintenance problems, and so, are not generally foreseen. Innate characteristics of the generating units' capacity limit, demand insensitivity to price fluctuations, weather-dependence of consumption, complexity of grid network and risk associated with supply-demand balancing -- all contribute significantly to the volatility of electricity prices.

Seasonality

Seasonality is another feature of electricity prices and generation, which fluctuate in response to the variation of demand. Demand shifts and subsequent price movements are primarily influenced by exogenous factors such as weather conditions and economic and domestic activities. Moreover, the non-storability of electricity plays a part in seasonality of electricity prices because it reduces the possibility of a lagged use. For instance, electricity use is low at night and high at noon, but it is not possible to generate electricity at night in order to balance demand increases during the day. There are three kinds of seasonality detected in different studies in electricity prices and load: diurnal, weekly

and annual. Diurnal seasonality can be explained by the large change in consumption between day and night, i.e. peak and off-peak hours. Weekly seasonality comes from differences in industrial activity between work days and weekends. Annual seasonality is related to weather conditions such as the season, temperature, and wind speed.



It is usual to assume that seasonality is generated by deterministic factors. It is possible to demonstrate seasonality without a mathematical formula. Figures 1 and 2 illustrate seasonal patterns in prices and production. Visual examination of the left panel shows that weekly prices display a seasonal pattern over a yearly cycle. The right panel represents intra-day seasonality in prices. Note that load exhibits exactly the same behavior, although it is less volatile than electricity price.

There are also mathematical methods such as Fourier analysis, fast Fourier transform analysis and moving average seasonality analysis, which allow us to detect seasonality problem in continuous, discrete, periodic and even a-periodic series. For discrete and periodic series the Fast Fourier transform is appropriate. Fig. 3 illustrates the frequency spectrum of PJM hourly locational marginal prices and load. In analyzing the spectrum, the daily, weekly and annual frequencies are clearly visible. Lower frequencies for 12, 6, and 3 hours are also observed. However, they do not give any additional information and are simply the resonance of “daily” peak. These peaks for 12 hours, 6, and 3 hours are called harmonics (multipliers of 24) and indicate that data exhibit a 24-hours period but it is not sinusoidal.




Fig. 3 Periodogram

Mean reversion

Empirical studies show that prices in many electricity markets can be characterized as mean reverting process. For instance, Bhanot (2000), Lucia and Schwartz (2002), and Knittel and Roberts (2001) model electricity prices as a mean-reverting process. That is, electricity prices fluctuate around their mean although the mean itself may evolve over time. It is plausible to assume that the electricity price mean depends on demand, supply and market structure. There are at least two theoretical explanations for the mean reversion phenomenon. First, shifts in demand push prices up, as more expensive generators are called upon in turn and the market moves along the supply curve. Second, since weather evolves as a mean reverting process, and since equilibrium prices are highly affected by demand (which is weather dependent), it is natural to assume that electricity prices exhibit mean reversion. There is a large literature devoted to electricity price formation processes, treated as mean reverting, for instance Knittel and Roberts (2001), Delaloye, Bernezet and Meisser (EGL AG report 2001), Lucia and Schwartz (2001). Although mean reverting models are very attractive, there is also literature describing electricity prices as non-mean reverting. Moreover, the recently developed alternatives to mean reverting and mean reverting with jumps models are non-constant volatility (GARCH/ARCH). For instance, one can find the GARCH models of electricity prices and their derivatives in Escribano, Pena and Villaplana (2002), Longstaff and Wang (2002).

PJM Market

The PJM Interconnection is a regional transmission organization (RTO) established in 1997 as the first auction-based market in the USA. The PJM energy market coordinates the continuous buying

and selling of energy in real-time and day-ahead markets, forward and bilateral markets and self-supply. PJM Interconnection ensures production, transmission and the interconnection reliability of the centrally dispatched control area. It establishes and supports the trading rules and standards; facilitates the market-clearing prices; monitor market activities to ensure open and fair access.

PJM coordinates the movement of electricity in all or parts of Delaware, Maryland, New Jersey, Ohio, Pennsylvania, Virginia, West Virginia and the District of Columbia. The PJM interconnection consists of two independent areas: PJM East and PJM West. PJM West is represented by one transmission zone, whereas PJM East is divided into eleven transmission zones. All twelve transmission zones are responsible for security of transmission system, balancing of generation and switching coordination. There are approximately 245 market participants in PJM energy market, including power generators, transmission owners, electricity distributors, and large consumers. Market members fall in four main market sectors: generation-owner, transmission-owner, electric distribution and end-users. Depending on market conditions, each participant from any market sector can be either buyer or seller. However, all sectors have their specific rules and requirements, which must be fulfilled.

The PJM energy market uses a Locational Marginal Pricing model (LMP) that reflects the value of energy at the specific location and times it is delivered. If the lowest-priced electricity can reach all locations (i.e. there is no transmission congestion), prices are the same across all locations. However, if there is transmission congestion, so energy cannot flow freely to certain locations, more expensive generating units have to be dispatched out of merit order to meet demand. As the result, the locational marginal price (LMP) is higher in those locations.

The PJM energy market consists of Real-Time and Day-Ahead markets. The Day-Ahead Market is a forward market in which hourly LMPs are calculated for the next operating day based on demand bids, generation supply bids and scheduled bilateral transactions. The Real-Time Market is a spot market in which current LMPs are calculated every five minutes based on actual system operating conditions. PJM transactions are settled hourly, and both real time and day ahead LMPs are available for each of the twelve transmission zones.

DATA

The data consist of hourly Real-Time and Day-Ahead Location Marginal Prices from the PJM market spanning the period of April 1, 2002 to December 31, 2003. For each of the 641 days in the sample, the data sets contain information on hourly real-time LMP (\$) for each zone, and the 24 settlement LMP (\$) for the day-ahead forward market, where delivery will be made at the respective

hour during next day. The data contain the power delivery (MW) for each day hourly from both PJM-East and PJM-West hubs. The data are provided directly from the PJM website www.pjm.com.

Table 1 reports the summary statistics for the electricity spot and forward prices over the period of April 1, 2002 to December 31, 2003. Both spot and forward prices are quoted in dollars per megawatt hour, \$/MWh. As shown in Table 1, both the average spot and forward prices do not vary much among the zones. However, standard deviations are smaller for forward prices, meaning that forward prices are less volatile. Median spot prices are lower than mean spot prices, indicating a rightward skewness of the spot price's distribution. Although the same pattern can be observed in the forward prices, the differences between mean and median spot prices are smaller than the differences between mean and median forward prices. Minimum of the spot prices is higher than minimum of the forward prices in absolute values. And the spot peak prices are much bigger than the forward peak prices.

Tables 2 and 3 present the summary statistics for the average hourly spot and forward electricity prices. The average spot prices vary throughout the day, running from a low for the early morning to a high for the peak late afternoon. Both average hourly spot and forward prices clearly exhibit intraday variation. It is interesting that mean forward prices are higher than the mean spot prices during the peak afternoon hours, while median spot prices are almost always lower than median forward prices, indicating that spot prices have a more pronounced upward skewness. Standard deviations are high for afternoon prices for both forward and spot markets, and the standard deviations for the spot prices are always higher than standard deviations for the forward prices. The maximum spot price is about 15 times higher than its mean values during afternoon hours, whereas the maximum forward price is about only 4 times higher than mean values for these hours. This summary of the price statistics demonstrates the key feature of electricity prices: their right-skewed distribution. The model presented in Routledge, Seppi and Spatt (2001) implies the same pattern of skewness.

For Figures 6, 7 and 8, I use the data spanning the period of January 1, 2002 to December 31, 2003 in order to capture annual seasonality as well as daily and weekly seasonality. Two zones are excluded from this analysis since they have operated since April 1, 2002.

Figure 6 shows time series of average over zones electricity spot prices for a representative subset of hour. As it can be seen, there is a considerable time series variation in the spot prices, particularly during peak hours. Figure 7 plots the forward prices for the same subset of hours. The forward prices exhibit similar properties as the spot prices, though they are less volatile.

Hourly electrical load for PJM Eastern and PJM Western hubs measured in gigawatt hours represents electrical usage. Figures 1, 2, 3 and 8 illustrate that the load data are with strong hourly, weekly and annual seasonality. Table 4 presents the summary statistics for electricity gross load, i.e. from both eastern and western hubs over the period of April 1, 2002 to December 31, 2003. Mean values of the load are bigger than median values. Demand for peak afternoon hours tend to be higher and more volatile than for other hours. Figure 8 displays that summer demand is more volatile than winter demand. Moreover, average summer load is higher than average winter load.

Finally, the weather data is collected from the National Weather Station. The data on weather conditions are represented by temperature for PJM East (Philadelphia) and PJM West (Pittsburgh). Electricity load and weather conditions are used as explanatory variables in the economic model constructed in next section.

PRICE MODELING

The PJM Interconnection is divided into twelve transmission zones controlled by independent companies. Both real time and forward prices are given hourly for each of the twelve transmission zones. All zones act as independent markets, although they are tightly related through the constraints imposed by the transmission lines. These interconnections allow implementation of a spatial econometric approach to model price formation process in the PJM interconnection. Electricity is not a simple good; it complies only with the laws of physics. For instance, one cannot control the distribution of electricity in a network but only predict it using Kirchhoff's Current Law. Knowing the features of a network allows one to identify flows but one can control them only by changing either the network or initial conditions. As a result, what is observed at one point is determined (in part at least) by what happens elsewhere in the system. This can formally be expressed as a spatial process:

$$LMP_j = f(LMP_1, LMP_2, \dots, LMP_N)$$

Every observation of a variable LMP at location j is formally related to the magnitudes for the LMP variables in other spatial units in the system through the function f . By imposing a particular form for the spatial process, i.e. on the functional relationship f , a number of characteristics of the spatial dependence may be estimated and tested empirically. One approach to infer an appropriate form for the spatial dependence departs from the data and is based on a number of statistical indicators. The crucial issue in spatial econometrics is the problem of formally expressing the law in which the structure of spatial dependence is to be incorporated in the model. The first question of spatial dependence is the need to determine which other units in the spatial system have an influence on the unit under

consideration. Formally, this can be expressed most simply in the topological notion of nearest neighborhood. Spatial autocorrelation is based on the notions of binary contiguity between spatial units. If two spatial units have a common border of non-zero length they are considered to be contiguous. In the case of PJM interconnection there is no contiguity among some zones. For instance, zone APS is not coherent itself, and it is composed of two geographically isolated areas (see FIG 9). This fact impedes application of a spatial model. However to circumvent this obstacle, I treat each isolated geographical area as a zone. This approach simplifies the modeling without impairing the results. At the core of the locational marginal pricing model is the fact that prices are set to equate supply and demand and are the same across all zones unless there is transmission congestion. If at least one transmission line is congested, the LMPs are different across zones. So, treating 16 PJM's geographical areas as independent zones can help to resolve non-contiguity problem.

For each area I specify the following regression equation:

$$S_{it} = \alpha_0 + \alpha_1 * \mathit{weather}_{it} + \alpha_2 * \mathit{forward}_{it} + \alpha_3 * \mathit{load}_{it} + \sum_{j=1}^{23} \beta_j^d H_{jt} + \sum_{l=1}^6 \beta_l^w W_{lt} + \sum_{k=1}^{24} \gamma_k S_{i,t-k} + \varepsilon_{it} \quad (1)$$

$$t = 1, \dots, T; i = 1, \dots, N,$$

$$N = 16 \text{ and } T = 15336$$

S_{it} stands for a spot price of zone i at time t ;

$\mathit{forward}_{it}$ is a forward price for delivery at date t to zone i contracted 24 hour earlier;

load_{it} is a load at date t for i zone. Since PJM interconnection is divided into 2 independent areas: PJM-West and PJM-East, all zones are either in PJM-West or in PJM-East. So, those zones in PJM-East have the same load.

$\mathit{weather}_{it}$ is a temperature observed at zone i at time t .

H_j is an hour dummy (12 pm dummy is omitted)

W_l is a week dummy (Sunday dummy is omitted)

$S_{i,t-1}$ is a spot price of zone i at time $t-1$ (to capture intra-day seasonality as well as reduce non-stationarity)

Spatial dependence can arise from latent variables that are spatially correlated. It seems likely that unobserved characteristics such as line congestion, generating unit production capacity, generating plant maintenance problems at certain locations, and the like may exhibit spatial dependence. The most plausible model that may capture most of latent spatial correlation is Spatial Error Model (SER)

$$S = \beta X + \varepsilon \quad (2)$$

$S = (S_1, S_2, \dots, S_{16})^T$, where each S_i is 15336×1 vector-column,
 X is $(15336 \times 16) \times 57$ matrix, and ε is $(15336 \times 16) \times 1$ vector-column

$$\varepsilon = \lambda \Omega \varepsilon + u \quad (3)$$

where Ω is known as a normalized row-stochastic matrix, λ is a scalar coefficient of spatial correlation in errors. It captures the underlying structure of neighboring zones by “0-1” values. That is, if two zones have a common border of non-zero length a value of 1 is assigned. For any two neighboring zones i and j , I assume that area j 's explanatory variables do not correlate with error term of area i .

For T spot prices in N zones, Ω is a (NT x NT) weighting matrix that assigns to spot price in the area j the average value of variable S in the areas surrounding the area j . In this model all neighbors are given equal weight, and all areas are equally influenced by their neighbors taken together (sum of elements in each row of Ω is unity). These assumptions may be relaxed if more information about the relative importance of neighboring zones is available.

The error term ε has two components. The vector u is a (NT x 1) vector of random errors with zero mean, constant variance and no correlations to the explanatory variable, i.e. $E(u) = 0$, $VAR(u) = \sigma_u^2 I$ and $E(Xu) = 0$. A spatial error term, $\lambda \Omega \varepsilon$, can be interpreted as the following: the error terms for observations in any area j contain λ times the average error found in neighboring areas, $\Omega \varepsilon$. Spatial correlation in errors, $\lambda \neq 0$, may result when unobserved spatially correlated variables drive prices, such as grid topology and physical characteristics of the transmission lines. Any unobserved regional differences may result in unobserved errors being different in different areas, but related in surrounding areas.

For a model with an error structure as in (3), ordinary least squares estimation is inefficient. If OLS is performed ignoring the spatial structure of errors the estimates of β are still unbiased, but the estimates of variance are biased and may lead to spurious inference. Therefore, maximum likelihood estimation is used. The results of estimating the spatial autoregressive error model are represents in TABLE 0. The SEM estimates indicate that after taking into account the influence of the explanatory variables, we still have spatial correlation in the residuals of the model because the parameter λ is significantly different from zero. As a confirmation of this, consider the results from an LR test:

LR tests for spatial correlation in residuals	
LR value	420371
Marginal Probability	0.00000000
chi-squared(1) value	6.63500000

Recall that this is a test of spatial autocorrelation in the residuals (H_0 is of no spatial correlation) from a least-squares model, and the test results provide a strong indication of spatial dependence in the least-squares residuals. Note also that this is the only test that can be implemented successfully with large data sets.


Observing the reported results in Table 0, one can draw several conclusions. The information about the load and the forward prices captures much of the variation in real time prices. The first explanation of this fact is that day-ahead commitments are done to mitigate risk associated with real-time uncertainty. Therefore, the real time LMPs are, in a sense, predetermined by day-ahead contracts. In addition, load represents demand, which actually determines generation, and in turn, spot prices. Even though load is only an approximation of demand, one can treat it as an upper bound for demand, since it impossible to consume more than it is produced. Thus, load may explain spot prices fairly well.

The estimates of the H_j and W_k , hourly and weekly dummies, are included in order to capture the intra-day and weekly seasonality. The estimates of hourly dummy variable coefficients are all significantly positive except H_3 , whereas the estimates of weekly dummy are all significantly negative. This captures the weekly cyclical pattern in spot prices due to variations in residential, commercial and industrial use. Electricity prices tend to increase from early morning until late afternoon, and tend to decrease until midnight. Moreover, electricity spot prices are lower in weekends than on weekdays, as is reflected in the dummy variables estimates.

The estimates of the lagged electricity spot prices have even more intriguing behavior. Most of the even-hour dummies are negative, whereas most of the odd-hour dummies are positive. The only exceptions are the dummies for lagged spot prices from 18 till 24, which are all positive and significant except the dummy for lag 20. The other insignificant estimates for hour dummies are lags for 8, 9, 13 and 17. The insignificance of hour dummies can be driven by the fact that the variables “weather” and “load” are included into the model. These variables capture the great portion of the spot prices changes. Another explanation to this can be the fact that electricity spot prices are highly volatile. This non-stationarity in the prices may cause the result.


There is a significant estimated “spatial” parameter $\hat{\lambda}$ which means that there is strong spatial correlation in the residuals. The main message is that spatial dependence of spot prices in the PJM market is important and one should not ignore this spatial correlation, even though it is driven by unobserved (to the researcher) processes. The best way to circumvent the spatial unobserved factors is to model them as a specific error process. This can be done in several ways: accounting for the topology of the network or assuming spatial process in disturbances. In any case, the spatial characteristics of the electricity market should be taken into account while modeling the electricity prices and their derivatives. Although the coefficient $\hat{\lambda}$ is considered to be a nuisance parameter, usually of little interest in and of itself, it is necessary to correct for or filter out the dependence. It is worth noticing that since $E(u) = 0$, irrespective of the value of $\hat{\lambda}$, the mean of S is not affected by the spatial error dependence.

Figure 4: Spatial Regression Residuals



In Figure 4, the residuals appear to exhibit a white noise pattern, even though there are several outliers, which are associated with July 2002 spikes in the spot prices. As can be seen in the next Figure 5, those spikes are underestimated. Note, that on the horizontal axes time series for all 16 zones are represented. Overall performance of the Spatial Error model is satisfactory, since it bring new insight into the electricity price modeling and help to estimate those prices well.

Figure 5: Spatial Regression Prediction vs. Actual Values



CONCLUSION

Spatial Error Correction model is adequate to model electricity prices. The problem of unobserved spatial correlation in the grid can be modeled by the SEM. The model provides an additional insight about the spot electricity prices in the PJM market. The topology of the network, the structure of the market and the rules imposed are responsible for the spatial correlation, which should not be ignored by careful research. Strong spatial correlation is supported by the estimating results as well as by the testing procedure. Though the estimation of the “spatial” parameter λ is of little interest, it helps to bring out consistent estimates of explanatory variables. Therefore, the more robust estimates and inference can be drawn.

Despite its attractiveness, the Spatial Error Model is not the only method available to model the electricity prices and derivatives. Future of electricity price modeling may be oriented towards models incorporating finer components and an additional information about the network topology, weather conditions and connections between the PJM zones. The additional information can be utilized either by spatial approach or by other modeling methods.

TABLE 0 EMPIRICAL RESULTS

R-squared=		0.9575	Dependent Variable	= spot price			
Rbar-squared=		0.9575					
sigma^2 – price variance =		28.2206					
Nobs =		245376					
Nvars=		57					
Variable	Coefficient	t-stat	z-probability	Variable	Coefficient	t-stat	z-probability
LAMBDA - coefficient of spatial correlation in errors	0.873989	1525.025	0.000000	W2	-1.047673	-3.298046	0.000974
constant	-1.51062	-3.04175	0.002352	W3	-1.038608	-3.268957	0.001079
Forward	0.094633	39.202605	0.000000	W4	-1.176472	-3.700931	0.000215
Load	0.000341	56.261643	0.000000	W5	-2.402390	-7.541134	0.000000
Weather	-0.005134	-1.890890	0.058639	W6	-2.248101	-7.059417	0.000000
H1	1.554878	2.632255	0.008482	SP-1	0.636380	314.66930	0.000000
H2	2.751867	4.647731	0.000003	SP-2	-0.024641	-10.299547	0.000000
H3	0.892371	1.507536	0.131673	SP-3	0.065999	27.593960	0.000000
H4	1.934550	3.266269	0.001090	SP-4	-0.008969	-3.744530	0.000181
H5	3.871718	6.520954	0.000000	SP-5	0.028310	11.818739	0.000000
H6	6.665134	11.215298	0.000000	SP-6	0.005290	2.208343	0.027220
H7	12.100306	20.352131	0.000000	SP-7	-0.004517	-1.885884	0.059311
H8	7.633009	12.811040	0.000000	SP-8	0.000100	0.041598	0.966819
H9	6.675428	11.201983	0.000000	SP-9	-0.000857	-0.357723	0.720550
H10	8.944625	15.020178	0.000000	SP-10	0.016231	6.776468	0.000000
H11	11.349444	19.033389	0.000000	SP-11	-0.010214	-4.262887	0.000020
H12	5.633284	9.432713	0.000000	SP-12	0.012327	5.145328	0.000000
H13	6.426274	10.776080	0.000000	SP-13	0.003152	1.315754	0.188257
H14	9.297441	15.601096	0.000000	SP-14	0.006343	2.647526	0.008108
H15	3.984631	6.678424	0.000000	SP-15	-0.016918	-7.062682	0.000000
H16	6.386275	10.702484	0.000000	SP-16	0.009727	4.060185	0.000049
H17	10.210617	17.121062	0.000000	SP-17	-0.001043	-0.435384	0.663284
H18	9.976639	16.703579	0.000000	SP-18	0.012153	5.072358	0.000000
H19	3.089670	5.182182	0.000000	SP-19	0.008218	3.429571	0.000605
H20	5.981124	10.064997	0.000000	SP-20	0.002837	1.184228	0.236323
H21	9.944888	16.748813	0.000000	SP-21	0.018154	7.577409	0.000000
H22	3.172539	5.348542	0.000000	SP-22	0.009437	3.944627	0.000080
H23	-4.276026	-7.238470	0.000000	SP-23	0.017964	7.506443	0.000000
W1	-1.285534	-4.046841	0.000052	SP-24	0.039459	19.528656	0.000000

REFERENCES

- Anselin, L. 1988. Spatial Econometrics: Methods and Models. *Dordrecht: Kluwer Academic*
- Anselin, L. 1990. Spatial Dependence and Structural instability in Applied Regression Analysis. *Journal of Regional Science* 30: 185-207.
- Case, A. C, 1991. Spatial Pattern in Household Demand. *Econometrica* 59-4 (July): 953-965
- Bessembinder, H., and Lemmon, M. 2002. Equilibrium Pricing and Optimal Hedging in Electricity Forward Markets. *Journal of Finance* 57 (June): 1347-82
- Bhanot, K. 2000. Behavior of Power Prices: Implication for the Valuation and Hedging of Financial Contracts. *Journal of Risk* 2: 43-62
- Bockstael, N. E, 1996. Modeling Economics and Ecology: the Importance of a Spatial Perspective. *American Journal of Agricultural Economics* 78 (December): 1168-1180.
- Escribano, A., Peaea, J., and Villaplana, P. 2002. Modeling Electricity Prices: International Evidence. *Working paper, Universidad Carlos III de Madrid.*
- Fama, E. F., and French, K.R. 1987 Commodity Future Prices: Some Evidence on Forecast Power, Premiums, and the Theory of Storage. *Journal of Business* 60 (January): 55-73
- French, K.R. 1986. Detecting Spot Price Forecast in Future Prices. *Journal of Business* 59 (April): S39-54
- Gibson, R., and Schwartz, E.S. 1990. Stochastic Convenience Yield and the Pricing of Oil Contingent Claims. *Journal of Finance* 45 (July): 959-76
- Hazuka, T. B. 1984. Consumption Betas and Backwardation in Commodity Markets. *Journal of Finance* 39 (July): 647-55.
- Knittel, C.R., and Roberts, M. 2001. An Empirical Examination of Deregulated Electricity Prices. *POWER WP-087, University of California Energy Institute.*
- Lucia, J., and Schwartz, E. 2002. Electricity Prices and Power Derivatives: Evidence from the Nordic Power Exchange. *Review of Derivatives Research* 5: 5-50.
- Routledge, S., Seppi, D.J., and Spatt, C.S. 2000 Equilibrium Forward Curves for Commodities. *Journal of Finance* 55 (June): 1297-338
- Routledge, S., Seppi, D.J., and Spatt, C.S. 2001. The “Spark Spread”: An Equilibrium Model of Cross-Commodity Price Relationship in Electricity. *Working paper. Carnegie Mellon University.*
- Longstaff, F.A., and Wang, A.W. 2002. Electricity Forward Prices: A High-Frequency Empirical Analysis. *Working paper. Anderson School at UCLA.*

- Weron, R., Kozłowska, B., and Nowicka-Zagrajek, J. 2001. Modeling Electricity Load in California: a Continuous-Time Approach. *Physica A* (February): 8-10.
- Weron, R., Simonsen, I., and Wilman, W., 2001. Modeling Highly Volatile and Seasonal Markets: Evidence from the Nord Pool Electricity Market. *Working Paper, Wrocław University*.

APPENDIX

TABLE 1

REAL TIME LMP					
Zone	Mean	Median	Std. deviation	Minimum	Maximum
1	36.1219	27.27	26.6692	-90.9191	764
2	35.5618	25.963	28.4665	-10.4619	1162.7
3	36.1819	27.18	28.4597	-15.7201	873.8
4	34.3163	26.3738	25.4453	-36.8315	701.7
5	34.7923	26.1451	25.7489	-17.0329	760.6
6	35.0832	26.5022	25.8973	-17.0547	762.1
7	34.9757	27.3728	24.3889	-0.7976	372.6
8	35.7953	25.9566	29.6732	-9.1511	1293.6
9	33.7978	25.693	24.7302	-25.7152	713.2
10	35.9195	28.11	25.5311	-6.4582	702.6
11	32.2113	24.6769	22.0695	-3.7261	499
12	35.9123	28.2723	25.1426	0	639.4
DAY AHEAD LMP					
Zone	Mean	Median	Std. deviation	Minimum	Maximum
1	36.8703	31.84	22.3639	-0.21	249.22
2	34.8402	29.03	21.5291	0.02	222.3
3	36.7883	31.58	23.0529	-0.14	253.97
4	35.4541	30.55	21.6008	-4.48	234.38
5	35.2152	29.875	21.6549	-1.34	238.39
6	35.9488	30.765	21.9599	-0.26	243.94
7	36.2697	31.58	21.6719	1	453.88
8	35.0019	29.03	21.7394	0.04	201.97
9	34.4428	29.16	21.0697	-1.31	229.22
10	36.6094	32.44	21.6024	0.54	419.92
11	32.7019	28.08	18.6055	0.08	178.28
12	36.2739	32.34	20.9506	0.54	230.54

TABLE 2: SUMMARY STATISTICS FOR
HOURLY SPOT PRICES

TABLE 3: SUMMARY STATISTICS FOR
HOURLY DAY-AHEAD PRICES

REAL TIME LMP						FORWARD LMP					
Hour	Mean	Median	Std. deviation	Minimum	Maximum	Hour	Mean	Median	Std. deviation	Minimum	Maximum
1	19.7801	16.7835	11.3418	0	99.9626	1	20.7661	17.8596	9.8586	6.245	81.6917
2	19.1228	15.89	12.5752	-2.6564	128.94	2	17.9575	15.9988	8.6025	1.7125	77.0417
3	16.9145	15.1358	11.0293	-2.8624	92.2825	3	16.8079	15.2237	8.2647	0.6767	72.45
4	16.2034	14.8764	10.4861	-2.2643	98.9831	4	16.4375	15.0004	8.4973	0.6183	74.1017
5	17.7759	15.5244	11.1212	-0.8027	95.7656	5	17.4092	15.5925	9.3708	0.1792	79.9333
6	22.3159	18.2105	13.867	0	104.96	6	22.0107	18.5046	12.8447	0.555	100.6467
7	32.0198	23.8164	23.9027	0	152.13	7	31.6315	25.0542	20.9918	0.9317	153.8375
8	34.0347	25.8443	22.9784	0	156.7734	8	33.8809	28.5325	19.3264	2.0883	155.7067
9	34.0615	28.2042	19.0792	6.2	134.1095	9	35.1338	31.9033	17.0327	11.2875	152.8883
10	37.6962	32.1397	20.0545	13.2333	144.1349	10	38.0118	35.7463	16.4277	13.9217	152.6683
11	42.7668	39.5283	22.5126	12.4417	165.5187	11	40.3981	38.1517	17.1608	14.0358	153.7617
12	40.3353	34.79	22.2165	12.0139	176.25	12	40.2219	37.8838	17.3955	13.6742	149.8133
13	39.7247	33.3194	24.7563	12.1583	337.4869	13	39.4468	36.1242	18.5753	13.1333	161.9025
14	42.4746	35.8445	28.3672	11.0167	298.1324	14	39.9709	35.6863	21.1021	12.7175	200.2575
15	39.0913	30.2805	29.0318	7.1083	434.498	15	39.8895	33.9258	23.5786	12.0658	221.7933
16	39.1701	29.1998	37.0943	8.525	769.7577	16	40.488	33.7221	25.8531	12.21	223.5417
17	43.6945	37.71	34.103	9.8583	573.6589	17	43.879	38.9275	25.6871	12.8983	220.565
18	46.9266	40.8229	27.5079	9.4788	187.4499	18	48.6493	45.0975	24.3387	14.2667	210.2775
19	42.4205	35.6834	25.5337	10.2949	156.8059	19	47.233	42.8171	22.3651	15.99	155.2225
20	40.6347	35.5574	23.2575	8.5364	153.67	20	44.845	42.15	20.0581	14.99	156.4425
21	43.4046	39.2389	22.7104	13.47	145.88	21	43.5164	40.6579	18.589	13.9492	155.4133
22	37.3226	31.995	20.0564	12.2833	130.21	22	36.9142	33.9913	15.8389	12.5617	123.4567
23	25.4436	21.51	12.6268	10.03	113.8525	23	27.4134	24.3762	11.2767	11.4667	106.975
24	21.4038	18.0661	10.7086	0	110.3795	24	22.4996	19.1312	9.639	11.6767	98.675

TABLE 4: SUMMARY STATISTICS FOR HOURLY LOAD

LOAD					
Hour	Mean	Median	Std. deviation	Minimum	Maximum
1	31467	31060	4272	24044	43748
2	30444	30015	4067.3	23353	42771
3	29936	29457	3949.3	23131	42622
4	29967	29320	3872.4	23104	42617
5	30985	30183	3869.4	23609	43379
6	33263	33190	4236.1	23913	45595
7	36114	36041	5004.1	24894	49941
8	38236	37738	5273.3	26153	52199
9	39642	38943	5241.6	28488	54171
10	40701	39834	5536.3	29660	57238
11	41312	40121	5996.7	29424	59681
12	41539	40126	6481.8	29190	61445
13	41615	39900	6988.8	28545	62812
14	41556	39800	7387.5	28028	63727
15	41430	39515	7664.5	27469	64127
16	41465	39385	7748.8	27240	64080
17	41826	40263	7409.1	27140	63728
18	42573	41710	6770.5	27169	62774
19	42682	41929	6125.7	28322	61243
20	42489	41571	5761.5	31124	60703
21	41444	40492	5660.8	30964	59724
22	39029	38456	5347.3	29342	55445
23	36035	35643	5008.7	25786	50458
24	33315	33022	4594.5	25376	46297

FIG. 6 Time series of average over zones electricity spot prices (\$/MWh) FIG. 7 Time series of average over zones day-ahead electricity prices (\$/MWh)




FIG. 8 TIME SERIES OF ELECTRICITY LOAD (1000'S MW).




FIG. 9 PJM TRANSMISSION ZONES TAKEN FROM PJM WEB-SITE

